

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Patent Application of:  
Peter Lockyer

Application No.: 10/593,852

Confirmation No.: 4433

Filed: September 22, 2006

Art Unit: 1614

For: METHODS FOR DETECTING CALCIUM ION  
INFLUX

Examiner: Not Yet Assigned

**INFORMATION DISCLOSURE STATEMENT (IDS)**

MS Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is filed before the mailing date of a first Office Action on the merits as far as is known to the undersigned (37 CFR 1.97(b)(3)).

In accordance with 37 CFR 1.98(a)(2)(ii), Applicant has not submitted copies of U.S. patents and U.S. patent applications. Applicant submits herewith copies of foreign patents and non-patent literature in accordance with 37 CFR 1.98(a)(2).

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith to our Deposit Account No. 07-1700, under Order No. MKC-009.

Dated: August 10, 2007

Respectfully submitted,

Electronic signature: /Randall D. Morin/  
Randall D. Morin

Registration No.: 58,312  
GOODWIN PROCTER LLP  
Exchange Place  
Boston, Massachusetts 02109  
(617) 570-1000  
Attorney for Applicant